

# City of Cody Contractors' Board

## AGENDA

Thursday, January 23, 2014 - 12:00 p.m.

Meeting Place: 8<sup>th</sup> Street Restaurant – **Ivy Meeting Room** -1800 8th Street, Cody, WY

---

### **A. PROCEDURAL**

1. Call to Order
2. Roll Call, excused members
3. Introduction of new board members: Andy Cowan
4. Election of Chairperson and Vice-Chairperson of the Contractors' Board for 2014.
5. Approval of Agenda
6. Approval of Minutes for the December 19, 2013 – Regular meeting

### **B. New Applicant Interviews:**

#### **1. Triple J Inc. DBA. J&J Sheet Metal of MI.**

Staff Comments: Staff has reviewed this application and reports that it appears to meet our minimum requirements for a Class B 2014 HVAC Contractor's License.

Board Interview: Teleconference interview at 12:15 with **John G. Henning**

Action: Review and discuss –Approve, Deny, or Table application

2. Approval of the following Class C 2014 Contractor's License reviewed and approved by Building Official.

#### **i. MRK Construction Inc.-Mark Law**

### **C. Executive Session- For Possible Action:**

1. To consider or receive information classified as confidential by-law.

### **D. Conduct of Business**

1. Discussion with Jim Baker regarding IPC Water Tight Joints and IRC installation.

Action: Recommendation to staff.

### **E. Public Comments:**

The City Contractors' Board welcomes input from the public. In order for everyone to be heard, please limit your comments to five (5) minutes per person.

### **F. New Business:**

1. Discuss location for Contractors' board meeting. Are they to be held at City Hall or send out RFP for location? Are the board members will to pay for their meals?
2. Licensing of Low Voltage Contractors.

### **G. Old Business:**

### **H. Ongoing Issues:**

1. Scott King is re-writing the Ordinance for Licensing Framing Contractors and Accessory Building Tie-down. Once he has the ordinance written he will bring the information back to the board for approval.

2. December Building Permit Report
3. Current and Pending Jobs

**I. Matters from Board Members** (announcements, comments, etc.)

**J. Adjournment**

The public is invited to attend all Contractors' Board meetings.

If you plan to attend or need special accommodations to participate in the meeting, please call the City office at (307)527-7511 at least 24 hours in advance of the meeting to make arrangements.

**City of Cody**  
**Contractors' Board**  
**Thursday, December 19, 2013**

A regular meeting of the City of Cody Contractors' Board was held in the Ivy Board Room of the 8<sup>th</sup> Street Restaurant in Cody, Wyoming on Thursday, December 19, 2013 at 12:00 PM.

Present: Chairman Roy Holm; Vice Chairman Kim Nelson; Gene Kelly; Paul Sandbak; Merle Nielsen; Gerald Stroh; Councilman Donny Anderson; Bryan Rieter, Building Inspector; Utana Dye, Certified Engineering Technician II;  
Absent: Morgan Lee; Tom Quick;

Chairman Roy Holm called the meeting to order at 12:01 PM.

Gerald Stroh made a motion seconded by Gene Kelly to approve the agenda and the minutes of the November 21, 2013 regular meeting. Vote was unanimous, motion carried.

An interview was conducted with Janna Ives of Allotta Construction LLC. Kim Nelson made a motion seconded by Paul Sandbak to approve Allotta Construction LLC for a Class A General Contractor license. Vote was unanimous, motion carried.

Consideration of Class B licensing of Cory Reistad of Studio AV Inc. Following discussion of the matter, Gerald Stroh made a motion second by Gene Kelly to approve Studio AV Inc. for a Class B 2014 Low Voltage Electrical Contractor license.

Consideration of Class C licensing applications by American Exteriors, LLC., CWP Enterprises dba Campbell's Siding, and Advanced Fire Protection. Following discussion of the applications, Kim Nelson made a motion seconded by Gene Kelly to approve the Class C license applications. Vote on the motion was unanimous, motion carried.

Licensing of General Framing Contractors. General Framing Contractors are currently listed as a Class A Contractor. Bryan Reiter asked the Board if they felt it would be in the best interest to lower the classification to a Class C when the Framing contractor is only doing framing and sheathing, and is working under a general contractor. The board directed Scott to re-write the ordinance to show the classification change.

Kim Nelson made a motion seconded by Gene Kelly to recommend for Scott King to re-write the ordinance for the reclassification of Framing Contractors from a Class A Contractor to a Class C Contractor as long as there is language in the ordinance that states that they are a subcontractor for only framing and sheathing. Vote on the motion was unanimous, motion carried.

Discussion Items:

1. Current and pending jobs within the city were discussed. Good2Go Project-The Car Wash and liquor Store has been demolished.
2. Accessory Buildings. There was discussion about an accessory building that blew over at the Lockhart Inn onto the neighboring property. Bryan asked the board what their thoughts were about having all accessory building anchored. The board felt that if the building does not have a permanent foundation then it should be anchored. They directed Bryan to have Scott consider how a re-write of the current ordinance could better address anchoring of all accessory buildings.
3. Bryan discussed a phone call from an Arizona painter that asked if the City of Cody required painters to be licensed. Bryan asked the board if they thought it would be in the best interest of the city to have painting contractors licensed. The licensing would help assure the painter had insurance coverage. General discussion ensued. If a painter was subcontracted to a general contractor, it was likely the general would require proof of insurance. An independent painting contractor may not be required to provide proof of insurance. The board's general consensus was to have Painting Contractors that are not covered by a General Contractor to get a business license similar to the City of Powell.
4. The November building permit summary was reviewed.
5. Utana mentioned to the board that the Community Development office will no longer be taking payments in their department. They will be processing the permits but will not be taking the payments. All payments will need to be made in the Administrative Service office.
6. Utana mention to the board that the next board meeting will be held at the Best Western Ivy. The Council and Administrator are considering what will be the best venue for future meetings. The Council should have a decision on the matter before the next meeting.

There being no further business to come before the board, Gene Kelly made a motion seconded by Kim Nelson to adjourn the meeting. Vote was unanimous, motion carried. Chairperson Roy Holm adjourned the meeting at 1:15 PM.

---

Utana Dye  
Certified Engineering Technician II



**CITY OF CODY**  
**WYOMING**

Nancy Tia Brown  
**MAYOR**

Donny Anderson  
Bryan Edwards  
Jerry Fritz  
Landon Greer  
Steve Miller  
Stan Wolz  
**COUNCIL MEMBERS**

C. Edward Webster II  
**MUNICIPAL JUDGE**

Jennifer R Rosencranse  
**CITY ADMINISTRATOR**

1338 Rumsey Avenue  
P.O. Box 2200  
Cody, Wyoming 82414

**(307) 527-7511**  
**FAX (307) 527-6532**

January 13, 2014

Mr. Jim Baker  
Absaroka Water Systems  
183 Diamond Basin Road  
Cody, Wyoming 82414

Dear Jim,

Pursuant to your request, herein following is my reasoning behind requiring all plumbing fixtures, including toilet bases, being caulked to the finished floor.

As you are aware, the City of Cody adopted the 2012 International Plumbing Code and International Residential Code in their entirety. The 2012 International Plumbing Code, Section 405.5 states "joints formed where fixtures come in contact with walls or floors shall be sealed" and the IRC states similarly, "where fixtures come in contact with walls or floors, the contact area shall be water tight". Fixture is defined in the 2012 IPC as "A receptacle or device that is connected to a water supply system or discharges to a drainage system or both. Such receptacles or devices require a supply of water; or discharge liquid waste or liquid-borne solid waste; or require a supply of water and discharge waste to a drainage system".


The 2012 IPC and IRC allows that "the code official shall have the authority to grant modifications for individual cases, upon application of the owner or owner's representative, provided the code official shall first find that special individual reason makes the strict letter of this code impractical and the modification conforms to the intent and purpose of this code and that such modification does not lessen health, life and fire safety requirements".

You have requested that caulking of toilet bases to the finished floor be eliminated from City of Cody inspection requirements. I find no individual reason that makes the strict letter of this code impractical nor does not complying with the code conform to the intent and purpose of this code.

I have spoken with an International Code Council representative as to the reasoning behind 2012 IPC section 405.5. He indicated that the reasoning behind the above referenced section was to assure a water-tight seal was provided at the point of connection to prevent water from entering under or behind the fixture in case of an overflow or spill. These types of leaks could occur from an overflowing toilet or from a leaky shut off valve behind the toilet.

In summary, as the code official for the City of Cody it is my job to enforce the code adopted by the Cody City Council. I have tried to do so on this issue.

If you have any questions, please feel free to contact me at the Building Department.

Sincerely,  
  
Scott King, C.B.O.  
Building Official  
City of Cody

---

**Feed:** Codes, Standards & Guidelines: Request Code Opinion  
**Posted on:** Tuesday, January 14, 2014 9:38 AM  
**Author:** Robert King  
**Subject:** Robert Scott King

**Requestor Full Name:** Robert Scott King

**Job Title:** Building Official

**Phone Number:** 307 527 3473

**Fax:** 307 527 6532

**Requestor email address:** sking@cityofcody.com

**Requestor Address:** City of Cody 1338 Rumsey Ave. Cody, Wyoming 82414

**Code Reference:** IPC Water Tight Joints and IRC Installation

**Code Edition:** 2012

**Code Section:** IPC Section 405.5 and IRC Section P2705.1#3

**Questions:** I am being challenged by a plumbing contractor that it should not be mandatory to caulk toilet bases to the finished floor because if the toilet leaks from the inside (i.e. faulty casting with a crack or faulty gasket or wax ring) the water needs a place to escape to the outside of the base before it causes structural or floor damage. My thought is that it is much more likely to get water damage from outside the base from overflow or a leaky valve. What is your thought and what do you think the original code writer's thought was concerning this issue?

**Status:** New

[View article...](#)

***cdpACCESS is now live! Sign in and get started today as all Group C code change proposals are due by January 10th. Click here to access the system - it's online 24/7!***

---

**Fred Grable** <fgrable@iccsafe.org>

Tue, Jan 14, 2014 at 1:55 PM

To: "sking@cityofcody.com" <sking@cityofcody.com>

Cc: Lis Valdemarsen <lvaldemarsen@iccsafe.org>, Lee Clifton <lclifton@iccsafe.org>, Shawn Martin <smartin@iccsafe.org>

Robert,

Thank you for your inquiry. Your question (rephrased so I can provide an answer with clarity) is:

Q: Is it mandatory to caulk the base of a water closet to the finished floor?

A: Yes. The purpose of caulking a water closet to the finished floor is to prevent sewage from entering the concealed area under the water closet, should a bowl overflow occur. Also, should there be a misdirected urine stream, the caulking prevents urine from entering that area. Keeping the concealed area clear of bacteria-laden water reduces/eliminates odors in the toilet room.

While there might be some reasons for **not** caulking this interface, they are overshadowed by the primary need for ensuring sanitary conditions when the most common events occur. In other words, defective/cracked bowls and wax ring leakage are rare occurrences (given that the water closets are handled and installed properly) as compared to bowl overflows.

As the code is very clear that caulking must be performed, there is not any point in arguing whether or not the code is "correct". The contractor must comply with the code (the laws of the jurisdiction) and the code official verifies that the contractor has complied with the code (the laws of the jurisdiction).

The contractor is welcome to submit a code change proposal to the IPC and the IRC in the next code change cycle. The deadline is Jan 12, 2015 for the IPC and Jan 11, 2016 for the IRC. All code change proposals are now entered through our new cdpACCESS web-based system which will make it easier to enter proposals.

If you need further information or have questions on the above, please contact me directly by email or telephone.

Code opinions issued by ICC staff are based on ICC published codes and do not include local, state or federal codes, policies or amendments. This opinion is based on the information which you have provided. We have made no independent effort to verify the accuracy of this information nor have we conducted a review beyond the scope of your question. This opinion does not imply approval of an equivalency, specific product, specific design, or specific installation and cannot be published in any form implying such approval by the International Code Council. As this opinion is only advisory, the final decision is the responsibility of the designated authority charged with the administration and enforcement of this code.

Respectfully,

Fred Grable, P.E.

Senior Staff Engineer serving as

Secretariat for the International Plumbing Code

Secretariat for the International Residential Code-Plumbing Provisions

Secretariat for the International Swimming Pool and Spa Code

Application Fee: \$50.00

License Fee: \$100.00

CITY OF CODY  
Contractors' License Prequalification Statement

Business Name: Triple J Inc Date: \_\_\_\_\_

DBA: J&J Sheet Metal of MI Corporation  Partnership  Sole Proprietor

Location: 9000 M-66 South City: East Leroy State: MI Zip: 49051

Mailing Address: 9000 M-66 South City: East Leroy State: MI Zip: 49051

Phone: 269-965-1627 Cell: \_\_\_\_\_ Fax: 269-965-0589

E-mail: Contact@jandjmi.com

License: Class A General Contractor / Class B Electrical, Plumbing, HVAC / Class C Other  
Specific Area of Work: Class B, HVAC

Which of the following do you have and maintain sufficiently to comply with all Federal, State and Local laws?

State Sales Tax ID: Yes: X No: \_\_\_\_\_ Number: 38-3253434

Federal ID: Yes: X No: \_\_\_\_\_ Number: 38-3253434

State ID: Yes: X No: \_\_\_\_\_ Number: 38-3253434

Workmen's Compensation: Yes: X No: \_\_\_\_\_ Number: wc58705845

Public Liability and Property Damage: Company: Michigan Insurance Company

Expiration Date: 07/01/2014 Number: CPJ8705845

Name of Principals (Including Positions and Local Representatives)

Name: John G Henning Position: President Email: johnh@jandjmi.com Phone: 269-965-1627

Name: John G Henning Position: Secretary Email: jandjmi.com Phone: 269-965-1627

Name: John G Henning Position: Treasurer Email: ↓ Phone: 269-965-1627

Have you previously applied for a license in Cody? No When? \_\_\_\_\_

Good Until: \_\_\_\_\_

How long has your organization been in business? April 17, 1995

Under this name? Yes Other names? NO

List experience and/or qualifications which may apply to the license application: \_\_\_\_\_

ALABAMA MECHANICAL LICENSE # 09088

LOUISIANA STATE MECHANICAL LICENSE # 51688

NORTH CAROLINA STATE MECHANICAL LICENSE # 30423

TEXAS STATE MECHANICAL LICENSE # TACLB 28895E

WISCONSIN STATE MECHANICAL LICENSE # 1137017

MICHIGAN STATE MECHANICAL LICENSE # 7116199

ICC MASTER MECHANICAL LICENSE # 08051961 (SEE ATTACHED)



Have you ever filed bankruptcy or failed on any financial obligations? No

If so, give specifics: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Have you or other principals failed to complete any work awarded to you? No

If so, where, when and why? \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Are you familiar with the codes and regulations in Cody concerning your work areas? Yes

Name and address of Master License where applicable: CITY OF CASPER, WY Mecht. Cont. License #62  
Mechanical Mstr #5, CHEYENNE, WY CT-12-24054 ; STARBUCK, WY #20121896

The above are true and accurate to the best of my knowledge and belief. References may be verified. I am aware that any false statements shall void this application.

Name of Organization  
TRIPLE LINE. USINT. FIDUCIARY NAME of J&J Sheet Metal  
OF MICHIGAN

By: Brett A. Sass

State of WYOMING

SS

County of Calhoun

The foregoing instrument was acknowledged before me by BRETT A. SASS

this 14<sup>th</sup> day of January, 2014.

Witness my hand and official seal.

[Signature]  
Notary Public

My commission expires 5.15.18.

Chairman of the Board \_\_\_\_\_ Approve \_\_\_\_\_ Deny \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



<b>Project Name</b>	<b>Owners Name</b>	<b>J&amp;J Sheet Metal Company Project History Address</b>	<b>Phone</b>	<b>Scope</b>	<b>Time Frame</b>
Oregon Trail	Blue Line Development Nate Richmond	2 West Clearwater. Gurnsey, WY	406-214-8145	HVAC Split Systems and Duct Work 12 Unit Apartment Complex	2 mos.
High Plains	Blue Line Development Nate Richmond	250 College Ave Torrington, WY	406-214-8145	HVAC Split Systems and Duct Work 32 Unit Apartment Complex	3 mos.
Creek Side	Haan Development Kathy Schaffar	2350 Reagon Rock Springs, WY	231-526-7380	HVAC Split Systems and Duct Work 36 Unit Apartment Complex	3 mos.
Blue Ridge	Haan Development Kathy Schaffar	1024 E. Main Lander, WY	231-526-7380	HVAC Split Systems and Duct Work 40 Unit Apartment Complex	3 mos.
Juniper Ridge	Blue Line Development Nate Richmond	1427 Morado Drive Casper, WY	406-214-8145	HVAC Split Systems and Duct Work 57 Unit Apartment Complex	3 mos.
Williston SR.	Haan Development Kathy Schaffar	2618 24th Ave. West Williston, ND	231-526-7380	HVAC Split Systems and Duct Work 48 Unit SR. Building	3 mos.
Peak Apartments	Summit Development Jack Jenks	2200 W. 5th Street Sheridan, WY	406-541-0999x221	HVAC Split Systems and Duct Work 48 unit apartment complex	4 mos.
Covey	Summit Development Jack Jenks	2350 W. 5th Street Sheridan, WY	406-541-0999x221	HVAC Split Systems and Duct Work 42 Unit SR. Building	4 mos.
Cass Apartments	Cass Community Social Services -	1584 Elmhurst Detroit, Mi	313-883-2277	HVAC Split Systems and Duct Work 53 Unit Apartment Complex	5 Mos.
Penrose Village	Penrose Homes Limited	Detroit, Mi	419-865-8600	HVAC Split Systems and Duct Work 39 Unit duplexs, single family and community bldg.	4 Mos.
The Ave. at Lubbock	Park 7 Group Philip Smith	1212 N. Quaker Lubbock, TX	917-828-2812	HVAC Split Systems and Duct Work 53 Unit Apartment Complex	6 Mos.
The Ave. at San Marcos	Park 7 Group Stephen Sidorick	1117 Avalon San Marcos, TX	814-360-3608	HVAC Split Systems and Duct Work 53 Unit Apartment Complex	6 Mos.
The Ave. at Tuscaloosa	Park 7 Group Philip Smith	5621 Hwy 69 South Tuscaloosa, AL	917-828-2812	HVAC Split Systems and Duct Work 53 Unit Apartment Complex	4 Mos.

Copper Beech Town Homes Kalamazoo, Mi	Copper Beech Town Homes	5900 W. KL Ave Kalamazoo, Mi	814-861-8100	HVAC Split Systems and Duct Work 256 Unit Apartment Complex with commu 4 Mos.
Copper Beech Town Homes Harrisonburg, VA	Copper Beech Town Homes	2345 Bayberry Ln Harrisonburg, VA	814-861-8100	HVAC Split Systems and Duct Work 432 Unit Apartment Complex with commu 4 Mos.
Copper Beech Town Homes Morgantown, West. VA	Copper Beech Town Homes	1 Copper Beech Drive Morgantown, West Virginia	814-861-8100	HVAC Split Systems and Duct Work 315 Unit Apartment Complex with commu 4 Mos.
Copper Beech Town Homes San Marcos, TX	Copper Beech Town Homes	1701 Mill Street San Marcos, TX	814-861-8100	HVAC Split Systems and Duct Work 416 Unit Apartment Complex with commu 6 Mos.
Copper Beech Town Homes Mt. Pleasant, Mi	Copper Beech Town Homes	4775 Commons Drive Mt. Pleasant, Mi	814-861-8100	HVAC Split Systems and Duct Work 120 Unit Apartment Complex with commu 4 Mos.
Copper Beech Town Homes Allendale, Mi	Copper Beech Town Homes	10295 48th Ave Allendale, MI	814-861-8100	HVAC Split Systems and Duct Work Community Center 4 Mos.
Copper Beech Town Homes Ames, Iowa	Copper Beech Town Homes	712 S.16th Street Ames, Iowa	814-861-8100	HVAC Split Systems and Duct Work 213 Unit Apartment Complex with commu 4 Mos.

**PERSONAL WORK HISTORY**

Please provide your personal work history to establish your minimum required time. Begin with your most recent employer first. List all positions you have held. Account for all the time between your first and last construction related employment listing whether the work done was construction related or not. Please note that time worked **MUST** be verifiable. It may be easier to have time worked documented in letter form from former employers. Failure to provide this information may be cause to delay or cause denial by the Contractor's board.

Employer Name	Address	Phone	Position Held and Primary Duties (i.e. project mgr, superintendent Foreman carpenter, laborer, etc.)	Time Frame
T J Sheet Metal OF MICHIGAN	9000 M-60 SOUTH EAST LEROY MI 49051	269-9651607	Project MANAGER - TAKE OFF BID, <sup>DESIGN</sup> MANAGE, INSTALL Projects	2003 - Present
II			FORMAN - INSTALL, MANAGE M.D. U. Projects	1999 - 2003

If you need additional space, please attach a separate page.

# CERTIFICATE OF ACHIEVEMENT

**Brett A. Sass**

*This is to certify that the person above has passed an examination by the International Code Council.*

**Master Mechanical**

NOVEMBER 07, 2007

BATTLE CREEK, MI


*Robert G. von Kampen, Ph.D.*

Robert G. von Kampen, Ph.D.  
Vice President-Certification and Testing



**INTERNATIONAL  
CODE COUNCIL**



	<p><b>INTERNATIONAL CODE COUNCIL CONTRACTOR EXAMINATION SERVICES BRIMINGHAM REGIONAL OFFICE 900 MONTCLAIR ROAD BIRMINGHAM, ALABAMA 35213 1-877-STD-EXAM</b></p>
---	---

The Person named below with the listed Social Security Number has passed the following examination.

BRETT SASS	Master Mechanical	11/07/2007
<a href="#">Click here to print.</a>		





# Computer Test Report

---

International Code Council

Unofficial Score Report

EXAM TITLE: Master Mechanical (SMM)

NAME: SASS, BRETT

LOCATOR: SAMM2724

ID NUMBER: 08051961

EXAM DATE: 11/07/2007

YOUR STATUS: PASS

Congratulations! You have achieved a passing status on this examination administration. Your passing status will be added to the Official Pass List on the ICC website at [www.iccsafe.org/contractor](http://www.iccsafe.org/contractor) within three to five working days. ICC will also forward an official score report to you. Please contact the participating jurisdictions if you wish to pursue licensing.

A passing score on this examination satisfies the testing requirements for licensing only, and does not guarantee that licensing will be granted. The candidate must also satisfy all local ordinance requirements in each jurisdiction where licensing is desired.

This letter is for your information only and shall not be utilized to acquire a license.

**DO NOT LOSE THIS REPORT**

---

LaserGrade Computer Testing  
P O Box 87245  
Vancouver, WA 98687-7245  
800-211-2754 or 360-896-9111  
[www.lasergrade.com](http://www.lasergrade.com)

Applicant Locator: SAMM2724  
Testing provided by: LAS49007  
WMU - College of Aviation  
237 N Helmer Rd  
Battle Creek, MI 49015  
269-964-5073



# CERTIFICATE OF LIABILITY INSURANCE

TRIPL-1

OP ID: KK

DATE (MM/DD/YYYY)

01/14/2014

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Minor Field Insurance Agency 5865 Venture Park Dr Kalamazoo, MI 49009 Arthur Skogsberg	Phone: 269-372-7171 Fax: 269-372-1828	CONTACT NAME: PHONE (A/C, No, Ext): E-MAIL ADDRESS:	FAX (A/C, No):
	INSURER(S) AFFORDING COVERAGE INSURER A: <b>Michigan Insurance Company</b>		NAIC # 10857
INSURED J&J SHEET METAL OF MICHIGAN TRIPLE J INC. DBA 9000 M-66 SOUTH E. LEROY, MI 49051	INSURER B:		
	INSURER C:		
	INSURER D:		
	INSURER E:		
	INSURER F:		

**COVERAGES**                      **CERTIFICATE NUMBER:**                      **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJ-JECT <input type="checkbox"/> LOC			CPJ8705845	07/01/2013	07/01/2014	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS			CPJ8705845	07/01/2013	07/01/2014	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
A	UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED \$      RETENTION \$			CPJ8705845	07/01/2013	07/01/2014	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$ 5,000,000
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		N/A	WCJ8705845	07/01/2013	07/01/2014	<input checked="" type="checkbox"/> WC STATUTORY LIMITS <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ 500,000 E.L. DISEASE - EA EMPLOYEE \$ 500,000 E.L. DISEASE - POLICY LIMIT \$ 500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

<b>CERTIFICATE HOLDER</b>  City of Cody 1338 Rumsey Ave Cody, WY 82414	<b>CANCELLATION</b>  SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.  AUTHORIZED REPRESENTATIVE Arthur Skogsberg
--	--



January 9, 2014

City of Cody  
Contractor's Board  
1338 Rumsey Avenue  
Cody, WY 82414

Re: J&J Sheet Metal of Michigan

Dear Board Members:

As project manager for Copper Beech Townhomes, I have worked with J&J Sheet Metal of Michigan on multiple projects:

Harrisonburg Virginia	432 living units and 1 large clubhouse
San Marcos, Texas	416 living units and 1 large clubhouse
Mt. Pleasant, Michigan	120 living units and 1 large clubhouse
Allendale, Michigan	1 large clubhouse
Ames, Iowa	213 living units and 1 large clubhouse ( <i>current project</i> )

The housing market that I work in requires my subcontractors to be quick, efficient, and attentive to detail. With their willingness to travel, attention to detail, and their overall reliability, J&J Sheet Metal of Michigan is an HVAC subcontractor in which I am very comfortable using.

If you have any questions or comments, please contact me at the following address or numbers:

Mr. Tony Ferrucci  
Copper Beech Townhomes  
2590 Park Center Blvd., Suite 200  
State College, PA 16801  
814-861-8100 phone  
814-861-8200 fax

Sincerely,

A handwritten signature in black ink, appearing to read "Anthony Ferrucci", written over a horizontal line.

Anthony Ferrucci  
Project Manager

/ke



# OAKWOOD CONSTRUCTION

January 7, 2014

City of Cody  
Contractor's Board  
1338 Rumsey Avenue  
P. O. Box 2200  
Cody, WY 82414

RE: J & J Sheet Metal – 6000 M-66 – East LeRoy, MI 49051

Dear Board Members,

For over eighteen (18) years, J & J Sheet Metal has been a very important subcontractor for Oakwood Construction Company. During that time, they have performed work in the area of HVAC on over 80 of our projects. Over twenty four (24) of those projects have been in Wyoming, North Dakota and South Dakota, with the vast majority of those in Wyoming.

They are reliable and dependable, and we have a high level of confidence in using them in every type of situation. If you have any questions, please call me.

Thank you.

Sincerely,

Craig A. Moulton  
President  
[dlahaine@oak.cc](mailto:dlahaine@oak.cc)



**THE DOUGLAS COMPANY**

LEAD. BUILD. SUCCEED.

January 9, 2014

Scott King

City of Cody

Contractor's Board

1338 Rumsey Avenue

P.O. Box 2200

Cody, WY 82414

RE: J&J Sheet Metal

Mr. King,

As a Senior Project Manager for the Douglas Company, J&J Sheet metal is my HVAC contractor of choice. Over the past 10 years, I have used J&J on projects ranging from small family units of 16 units or less, to larger senior buildings of 50 or more units.

J&J proves to be very detail oriented, prompt, and dependable.

Sincerely,

Peter D. Zimmerman, P. E., LEED AP

[pzimmerman@douglascompany.com](mailto:pzimmerman@douglascompany.com)



Stephen Sidorick  
SVP Construction / Partner  
814-360-3608  
ssidorick@park7group.com

January 9, 2014

City of Cody  
Contractor's Board  
1338 Rumsey Avenue  
P.O. Box 2200  
Cody, WY 82414

RE: J&J Sheet Metal

To whom it may concern,

We are a builder and owner of off campus student housing projects. Last year we started and completed two projects in Texas and one in Alabama for a total of 579 living units. We depend on reliable sub-contractors that can do the project in a timely fashion, we typically have 9 months from the time ground is broken until the units are occupied, and provide a quality product. J&J Sheet metal is a very dependable, detail oriented and reliable company. I am very confident in using them for any type of HVAC situation.

Sincerely

A handwritten signature in black ink, appearing to read "S. Sidorick", written over a white background.

Stephen Sidorick  
[ssidorick@park7group.com](mailto:ssidorick@park7group.com)

Application Fee: \$50.00

License Fee: \$100.00

CITY OF CODY  
Contractors' License Prequalification Statement

Business Name: MRK CONSTRUCTION INC. Date: JAN 2, 2013

DBA: \_\_\_\_\_  Corporation  Partnership  Sole Proprietor

Location: 1080 Southfork Rd. City: Cody State: WY Zip: 82414

Mailing Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone: 307-272-2201 Cell: \_\_\_\_\_ Fax: -

E-mail: wyomrke@gmail.com

License: Class A General Contractor / Class B Electrical, Plumbing, HVAC (Class C Other  
Specific Area of Work: Concrete)

Which of the following do you have and maintain sufficiently to comply with all Federal, State and Local laws?

State Sales Tax ID: Yes: \_\_\_\_\_ No:  Number: \_\_\_\_\_

Federal ID: Yes:  No: \_\_\_\_\_ Number: 46-2143225

State ID: Yes:  No: \_\_\_\_\_ Number: 2013-000638478

Workmen's Compensation: Yes:  No: \_\_\_\_\_ Number: 800 148 487

Public Liability and Property Damage: Company: COLORADO CASUALTY

Expiration Date: 6/29/14 Number: # BKS 55606118

Name of Principals (Including Positions and Local Representatives)

Name: MARK LAW Position: OWNER Email: wyomrke@gmail.com Phone: 307-272-2201

Name: \_\_\_\_\_ Position: \_\_\_\_\_ Email: \_\_\_\_\_ Phone: \_\_\_\_\_

Name: \_\_\_\_\_ Position: \_\_\_\_\_ Email: \_\_\_\_\_ Phone: \_\_\_\_\_

Have you previously applied for a license in Cody? NO When? \_\_\_\_\_

Good Until: \_\_\_\_\_

AS SOLE PROPRIETOR IN WYOMING SINCE SEPT. 2008

How long has your organization been in business? Incorporated in Feb. 2013

Under this name? \_\_\_\_\_ Other names? \_\_\_\_\_

List experience and/or qualifications which may apply to the license application: \_\_\_\_\_

See Attached.

Have you ever filed bankruptcy or failed on any financial obligations? NO  
If so, give specifics: NA

Have you or other principals failed to complete any work awarded to you? NO  
If so, where, when and why? NA

Are you familiar with the codes and regulations in Cody concerning your work areas? \_\_\_\_\_  
Name and address of Master License where applicable: \_\_\_\_\_

The above are true and accurate to the best of my knowledge and belief. References may be verified. I am aware that any false statements shall void this application.

Name of Organization  
Mrk Construction Inc.  
he

By: \_\_\_\_\_  
State of Wyoming

SS  
County of PARK

The foregoing instrument was acknowledged before me by \_\_\_\_\_

this 15<sup>th</sup> day of January, 2014.

Witness my hand and official seal.



Utana Oye  
Notary Public

My commission expires May 6, 2015.

Chairman of the Board \_\_\_\_\_ Approve \_\_\_\_\_ Deny \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



## Experience and/or Qualifications

### Mark Law

- Carpentry Apprenticeship HM Brooks Construction; Through Camosun College; also included Concrete and Welding
- Walls: Foundations/Retaining/Radius
- Slabs: on grade/Structural/Monolithic
- Bridge Decks/Precast
- Continuous Pours; Slip forms/Water Tower
- Base for Steel Storage Tanks
- Boat Ramps @ 15% grade
- Parking Lots
- Curb and Gutter
- Sidewalks/ada
- Irrigation; Collars/Culverts/Headwalls/Inlet/Measuring Structures/Ditches
- Underground Drop inlets/tanks/well houses
- Fuel Containment
- Various Precast items
- Insulated Concrete Forms
- Mechanics Service Pit
- 1 ½ fireproofing/appartments
- Grouted Rip-Rap/Spillways
- Light Pole Bases
- Decorative: Colored/Stamped/Textured/Trowel in Hardeners/exposed aggregate/ground/Polished
- Counter-Tops/Fireplace hearths/Tile
- Removal/Demolition

MRK Construction: Recent Project History

Project Name	General Contractor or Owner	Contact	Phone	Scope		Time Frame
Harder Residence	Omara Enterprises Inc.	Bill O'mara	307.899.3048	Foundation/Flatwork	100 + cu/yds	Oct/Nov 2013
Corbett Bridge Take Out Boat Ramp Improvements	Wyoming Game&Fish Dept.	David Bumann	307.777.4582	16'x50' @15% w 24" turn down/g&f custom texture		Oct. 2013
CMA Church Multi Purpose	Cma Church	Josh Smith	307.272.0619	Site work: side walks Curb & Gutter	50+	Sept. 2013
Multiple Owners:	O'mara Enterprises Inc.	Bill O'mara	307.899.3048	Flatwork/Machine/Hand trowel/broom/stamp/texture	200+ cu/yds	April-August 2013
New Life Church	New Life Church	Scotty Brown	307.254.0262	Site work: side walks/patios etc.	60+ cu/yds	July/August 2013
Columbus Water Tower Custom Foundation	Glacier Construction	Randy	970.560.6625	Circular Water Tower Base		June/July 2013
	Brad McKnight	Brad McKnight	307.899.0595	Match Moved Building		May, 2013
Multiple Owners: Ross/Newton/Town of Burlington/Hagen/	Nicholson Dirt Contracting	Jim Nicholson	307.272.1278	Irrigation Structures/Dam structure/Grouted RipRaP		Nov. 2012 - april 2013
New Life Church	New Life Church	Scotty Brown	307.254.0262	12000 sq ft Mono Slab w 18" Turn Down/insulation	200+ cu/yds	Nov/Dec 2012
Lower Sunshine Boating Access Improvements	Wyoming Game&Fish Dept.	David Bumann	307.777.4582	24'x212' @15% w 24" turn down/custom g&f texture	200 cu/yds	Sept/Oct. 2012
multiple finishes	Kasey Shepperson	Kasey Shepperson	307.868.2170	shop-power trowel/parking area-broom/patio and step w/stamp texture		Sept. 2012
Shop Floor	Roy Holm	Roy Holm	307.899.6281	40x80 shop floor	40+ cu/yds	Aug/2012
Multiple: Peterson/Higbie/Garney	Nicholson Dirt Contracting	Jim Nicholson	307.272.1278	M.hole/valve box diamonds/inlet boxes/valley gutters/approach aprons etc		
Habitat for Humanity	Habitat	Jason Miller	307.202.1805	Monolithic Slab w/ 18"turndown/insulation		June/2012
Powell Highway	Nicholson Dirt Contracting	Jim Nicholson	307.272.1278	Construct 96"to 76" id custom concrete reduction Collars		April/2011
Best Western Ivy Hotel	Nicholson Dirt Contracting	Jim Nicholson	307.272.1278	Compaction/Footing/Precast Concrete Retaining Wall		Aug/2010
Mechanic service Pit	Nicholson Dirt Contracting	Jim Nicholson	307.272.1278	5'd x 40'l x 3'w service pit; 25' x 80' x 6" shop floor		Sept. 2009
Box Culvert	Nicholson Dirt Contracting	Jim Nicholson	307.272.1278	Structural Bridge type Box Culvert w/10" deck Slabs		July/2009





## **ENGINEERING ASSOCIATES**

**CONSULTING ENGINEERS & SURVEYORS**

*A Wyoming Corporation*

January 10, 2014

To Whom It May Concern:

I have a Master of Science in Civil Engineering with education in preparing concrete mix designs, concrete defect analysis, and structural concrete design for buildings and pavement. I have worked a variety of projects involving concrete design and evaluation over the last 25 years.

I am pleased to recommend Mark Law and MRK Construction, Inc. to complete concrete construction in the City of Cody. Mr. Law has broad experience with concrete construction in cold climates. He understands the importance of following American Concrete Institute and International Construction Code requirements to help ensure a quality finished product. Engineering Associates has worked with Mr. Law on projects that include both concrete flatwork and formed structural concrete with rebar.

Mr. Law attends to the details of the project. These include checking grade and alignment against project requirements and verifying there is adequate drainage. He works to make sure the concrete supplied meets specifications and is placed within the allotted time. When finishing concrete, he strives to make sure bleed water has released and is not finished just below the surface where it will cause long-term scaling and flaking do to freeze-thaw.

You will find that MRK Construction has the ability to complete concrete construction in a professional and efficient manner. He works to provide an esthetically pleasing finished product that meets the client's goals. If you would like additional information about Mr. Law, you can telephone me at (307) 587-4911 or (307) 899-3817.

Sincerely,

Travis L. Conklin, PE  
CEO

# BIG HORN REDI - MIX, INC.

## CODY BRANCH

1245 Riverview Dr.  
Cody, Wy. 82414  
Phone: (307) 587-4691  
Fax: (307) 587-9509

## MAIN OFFICE

P.O. Box 48  
Thermopolis, Wy. 82443  
Phone: (307) 864-3397  
Fax: (307) 864-3609

## POWELL BRANCH

355 East North Street  
Powell, Wy. 82435  
Phone: (307) 754-2923  
Fax: (307) 754-5722

## WORLAND BRANCH

320 West Big Horn Av.  
Worland, Wy. 82401  
Phone: (307) 347-2458  
Fax: (307) 347-2459

## CONSTRUCTION DIVISION

P.O.Box 672  
Greybull, Wy. 82426  
Phone: (307) 765-4610  
Fax: (307) 765-4462

## GREYBULL BRANCH

P.O.Box 672  
Greybull, Wy. 82426  
Phone: (307) 765-4610  
Fax: (307) 765-4462

To whom it may concern,

RE: Mark Law of MRK Construction

It is our position to recommend Mark Law and Mrk Construction to the "City of Cody" for the purpose of doing business in the form of Concrete Construction.


Mark Law, in recent years, has purchased, placed and finished in the thousands of cubic yards of concrete.

Mark is fast, efficient and has the appropriate tools for placing and finishing concrete in a variety of formed structural and Flatwork applications.

Mark has a working understand of Mix design; including concrete strength requirements, water/cement ratios, aggregate sizes, air entrainment and the effective use of additives.

Our drivers enjoy working with Mark.

Sincerely,



Batch Plant Manager  
Big Horn Redi-Mix

*Nicholson Dirt Contracting*  
*P.O. Box 3212*  
*Cody, WY 82414*  
*307-587-2767*

To whomever it may concern;

City of Cody;

With Regard to Mark Law;


Nicholson Dirt Contracting has been pleased to use the expert services of Mark Law since September of 2009.

Mark Law has done concrete work for us in the form of Foundations; Slabs; Bridge Decks; Irrigation structures; Irrigation ditches; A Mechanics Pit; Sidewalks; Curb and Gutter; Street/Parking lot compaction; Man hole/valve box diamonds; buried inlet structures; Reduction collars; boat ramps; various precast units; grouted rip-rap and other grout work. Mark is very gifted in problem-solving when the need arises.

We anticipate using Mark to furnish and complete all of our concrete needs for the foreseeable future.

With regards,

Jim Nicholson



January 4<sup>th</sup>, 2014

J. C. SMITH

CUSTOM BUILDERS  
& DESIGN LLC

City of Cody Board of Contractors:

In regards to Mark Law and his application for a class C contractors license in the city of Cody; I highly recommend Mr. Law for this license. He has shown diligence and knowledge in the construction field in my experience and dealings with him. As well has his knowledge, he is honest, fair, and upfront in his dealings and exemplifies in his character what a contractor should have when working in this field. If, for any reason, you have or need any further information regarding Mr. Law or my experience with him, feel free to contact me.

Thank you,

A handwritten signature in cursive script, appearing to read "Joshua C. Smith".

Joshua C. Smith

(307)272-0619



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)  
1/15/2014

**THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.**

**IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).**

<b>PRODUCER</b> WAY WEST INSURANCE AGENCY, LLC, POBOX 2626, CODY, WY 82414	CONTACT NAME: Carole M. Farmer, CIC, CISR PHONE (A/C, No, Ext): (307)586-4142 FAX (A/C, No): (307)586-4144 E-MAIL ADDRESS: cfarmerwaywest@tctwest.net
	INSURER(S) AFFORDING COVERAGE INSURER A: COLORADO CASUALTY (LIBERTY MUTUAL) INSURER B: INSURER C: INSURER D: INSURER E: INSURER F:

**COVERAGES**      **CERTIFICATE NUMBER:**      **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL. SUBR. INSR   WVD	POLICY NUMBER	POLICY EFF. (MM/DD/YYYY)	POLICY EXP. (MM/DD/YYYY)	LIMITS
A	<b>GENERAL LIABILITY</b> <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	X	PENDING ISSUANCE	12/28/13	12/28/14	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (EA OCCURRENCE) \$ 300,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
	<b>AUTOMOBILE LIABILITY</b> <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS					COMBINED SINGLE LIMIT (EA ACCIDENT) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input type="checkbox"/> RETENTION \$					EACH OCCURRENCE \$ AGGREGATE \$
	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N/A				WC STATU-TORY LIMITS   OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)  
 AS RESPECTS OPERATIONS OF THE NAMED INSURED.

<b>CERTIFICATE HOLDER</b> CITY OF CODY 1338 RUMSEY AVENUE CODY, WY 82414 FAXED TO: 307-527-6532	<b>CANCELLATION</b> SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE  Carole M. Farmer
---	--



CITY OF CODY  
1338 RUMSEY AVENUE  
P O DRAWER 2200  
CODY WY 82414-2200

307 527-7511

Receipt No: 3.071093

Jan 16, 2014

1000  
MRK CONSTRUCTION INC.  
1080 SOUTHFORK ROAD  
CODY WY 82414

Previous Balance:	150.00
BUSINESS LICENSES - LICENSE PAYMENTS	150.00
<hr/>	
Total:	150.00
New Balance:	.00
<hr/>	
CHECK - Wells Fargo	150.00
Check No: 1115	
Total Applied:	150.00
<hr/>	
Change Tendered:	.00
<hr/>	

Duplicate Copy

01/16/2014 10:30AM